

Seções Transversais					Tipo 2A	
ESTACA	Distância (m)	LEITURA (mm)		PR (mm)	COTA (mm)	Observação
		RÉ	VANTE			
376+00.00	0.0	3580				
376+00.00	5.0		2765			
376+00.00	15.0		1233			
376+00.00	21.0		406			
376+00.00	AUX	4891				
376+00.00	25.0		3964			
376+00.00	30.0		2986			
376+00.00	40.2		1709			
376+00.00	AUX	871				Ré dist. 0,0m
376+00.00	-5.0		1796			
376+00.00	-15.0		3750			
376+00.00	-21.0		4535			
376+00.00	-25.1		5320			
376+00.00	AUX	1069				
376+00.00	-30.0		2021			
376+00.00	-40.2		4256			
377+00.00	0.0	4568				
377+00.00	5.0		3686			
377+00.00	15.0		1864			
377+00.00	20.0		967			
377+00.00	AUX	4581				
377+00.00	25.0		3650			
377+00.00	30.0		2775			
377+00.00	40.0		1597			
377+00.00	AUX	1541				Ré dist. 0,0m
377+00.00	-5.0		2597			
377+00.00	-15.4		4619			
377+00.00	AUX	565				
377+00.00	-20.0		1414			
377+00.00	-25.0		2305			
377+00.00	-29.9		3151			
377+00.00	-40.0		5416			
378+00.00	0.0	4561				
378+00.00	5.0		3538			
378+00.00	15.0		1431			
378+00.00	20.0		511			
378+00.00	AUX	3894				
378+00.00	25.0		3262			
378+00.00	30.0		2630			
378+00.00	40.0		1587			
378+00.00	AUX	1264				Ré dist. 0,0m
378+00.00	-6.0		2378			
378+00.00	-16.0		4268			
378+00.00	-20.0		5191			
378+00.00	-25.4		6445			
378+00.00	AUX	654				
378+00.00	-30.0		1713			
378+00.00	-39.0		3753			
379+00.00	0.0	4512				
379+00.00	5.0		3128			
379+00.00	15.0		976			
379+00.00	20.0		304			
379+00.00	AUX	3984				
379+00.00	25.0		3547			
379+00.00	30.0		3110			
379+00.00	38.0		2237			
379+00.00	AUX	654				Ré dist. 0,0m
379+00.00	-5.0		1789			
379+00.00	-16.0		4064			
379+00.00	-20.0		5527			
379+00.00	AUX	365				
379+00.00	-26.0		2061			

Seções Transversais					Tipo 2A	
ESTACA	Distância (m)	LEITURA (mm)		PR (mm)	COTA (mm)	Observação
		RÉ	VANTE			
379+00.00	-30.0		3123			
379+00.00	AUX	365				
379+00.00	-38.0		4781			
380+00.00	0.0	4564				
380+00.00	5.0		3490			
380+00.00	16.0		1974			
380+00.00	20.0		1485			
380+00.00	26.0		1041			
380+00.00	30.0		600			
380+00.00	AUX	561				
380+00.00	40.0		-337			
380+00.00	41.0		6072			
380+00.00	AUX	125				
380+00.00	-16.0		3175			
380+00.00	-20.0		4800			
380+00.00	-26.0		6562			
380+00.00	AUX	125				
380+00.00	-30.0		2117			
380+00.00	-40.0		5929			
381+00.00	0.0	2690				
381+00.00	4.0		2150			
381+00.00	15.0		1087			
381+00.00	20.0		589			
381+00.00	25.0		116			
381+00.00	AUX	4658				
381+00.00	30.0		4186			
381+00.00	40.0		3295			
381+00.00	AUX	1654				Ré dist. 0,0m
381+00.00	-4.0		2576			
381+00.00	-15.0		6131			
381+00.00	-20.0		7407			
381+00.00	-25.0		8700			
381+00.00	-30.0		9976			
381+00.00	-40.0		14846			
382+00.00	0.0	4587				
382+00.00	5.0		3866			
382+00.00	15.0		2215			
382+00.00	20.0		1705			
382+00.00	25.0		1195			
382+00.00	30.0		684			
382+00.00	AUX	1546				
382+00.00	40.0		742			
382+00.00	AUX	1475				Ré dist. 0,0m
382+00.00	-5.0		2701			
382+00.00	-15.0		5494			
382+00.00	AUX	561				
382+00.00	-20.0		1920			
382+00.00	-25.0		3011			
382+00.00	-30.0		4011			
382+00.00	AUX	265				
382+00.00	-40.0		4714			
383+00.00	0.0	3654				
383+00.00	6.0		2599			
383+00.00	15.0		849			
383+00.00	20.0		444			
383+00.00	AUX	2987				
383+00.00	25.0		2582			
383+00.00	31.0		2178			
383+00.00	40.0		1357			
383+00.00	AUX	456				Ré dist. 0,0m
383+00.00	-6.0		1539			
383+00.00	-15.0		4375			
383+00.00	-20.0		5899			
383+00.00	AUX	362				

Seções Transversais					Tipo 2A	
ESTACA	Distância (m)	LEITURA (mm)		PR (mm)	COTA (mm)	Observação
		RÉ	VANTE			
383+00.00	-25.0		1495			
383+00.00	-31.0		2610			
383+00.00	-40.0		4766			
384+00.00	0.0	4597				
384+00.00	5.0		3427			
384+00.00	15.0		1927			
384+00.00	20.0		1318			
384+00.00	25.0		916			
384+00.00	30.0		515			
384+00.00	AUX	1497				
384+00.00	40.0		736			
384+00.00	AUX	156				Ré dist. 0,0m
384+00.00	-7.0		1512			
384+00.00	-15.0		4784			
384+00.00	-20.0		5894			
384+00.00	AUX	147				
384+00.00	-25.0		1351			
384+00.00	-31.0		2726			
384+00.00	AUX	564				
384+00.00	-40.0		3788			
385+00.00	0.0	3697				
385+00.00	8.0		2628			
385+00.00	15.0		1317			
385+00.00	20.0		835			
385+00.00	25.0		135			
385+00.00	AUX	2347				
385+00.00	30.0		1453			
385+00.00	40.0		108			
385+00.00	AUX	1245				Ré dist. 0,0m
385+00.00	-8.0		2868			
385+00.00	-15.0		5261			
385+00.00	AUX	147				
385+00.00	-20.0		943			
385+00.00	-25.0		1927			
385+00.00	-30.0		3666			
385+00.00	AUX	564				
385+00.00	-40.0		3546			
386+00.00	0.0	4971				
386+00.00	5.0		3750			
386+00.00	15.0		2066			
386+00.00	20.0		1405			
386+00.00	26.0		740			
386+00.00	AUX	4971				
386+00.00	30.0		3992			
386+00.00	40.0		2166			
386+00.00	AUX	701				Ré dist. 0,0m
386+00.00	-5.0		1626			
386+00.00	-15.0		4636			
386+00.00	AUX	156				
386+00.00	-20.0		1670			
386+00.00	-26.0		2950			
386+00.00	-30.0		4678			
386+00.00	AUX	541				
386+00.00	-40.0		3428			